Sanitized Copy Approved for Release 2010/08/09 : CIA-RDP85T00287R000900590001-0 29 March 1983 P&PD (via CPAS/IMC) 7G15 Hqs. Propore Raply

	as a RECORD of approvels, decreaces, and similar actions	
ROM: (Name, org. sym	bel, Agency/Peet) OSWR/NED/MTB	Room No.—Bidg. 5G48 Hqs
	OSMK/MED/MIR	Phone No.

Frenched by GEA FPMR (41 CFR) 101-11.206

25X1 25X1

★ GPO : 1981 O - 341-529 (120)

CENTRAL INTELLIGENCE AGENCY

WASHINGTON, D.C. 20505

31 MAR 1983

MEMORANDUM FOR:	Director of Internat: Department of Energy	ional Security Affairs	!
FROM:	E. Wayne Boring Director of Scientif	ic and Weapons Research	25X1
SUBJECT:	Evolution of Product:	ion Reactors	25X1
Attached is	the paper on evolution	on of production reactors which	n was
requested by J.	S. Beardall of OISA fo	or the use of the Assistant Sec	eretary
for Defense Prog	grams.		
			25X1
			25X1
			25X1
		E. Wayne Boring	
Attachment: as stated			
cc: J. S. Beard	dall, OISA		
			25X1

SECRET

25X1

-25X1

Central Intelligence Agency



Washington, D. C. 20505



DIRECTORATE OF INTELLIGENCE

29 March 1983

EVOLUTION OF PRODUCTION REACTORS	
Summary	
The designs of reactors used to produce materials for nuclear weapons have been strongly influenced by changing needs of the associated weapons programs. Early reactors were relatively simple. They were designed for rapid construction to meet immediate demands for plutonium and, somewhat later, for tritium. As weapon material requirements have become more diverse and weapon development lead times have become longer, a clear trend has developed toward the use of complex reactors which can efficiently produce electric power as well as nuclear materials. The use of reactors which produce both power and nuclear materials will probably expand in those countries where this concept is not constrained politically.	25X
* * *	25X1
It is not possible to understand the evolution of production reactors in isolation from the evolution of nuclear weapons designs. The various weapon design stages (or generations), together with changing requirements for the rapid acquisition of weapons, have in large part dictated the production reactor concepts chosen to make nuclear materials.	25X
	LLEGIB
This memorandum was requested by the Director of International Security, DoE. It was prepared by the Nuclear Energy Division of the Office of Scientific and Weapons Research. Questions and comments are welcome and	25X
may be addressed to the Chief of the Nuclear Energy Division	25X

It was prepared of Scientific an	by the l d Weapons Research. Q	Crector of International Nuclear Energy Division of westions and comments are wclear Energy Division [of the Office
		SW M Number	r 83-10019
.			

Sanitized Copy Approved for Release 2010/08/09 : CIA-RDP85T00287R000900590001-0



	23/
In the earliest stage (unboosted fission weapons), the priority need	
for rapid acquisition of plutonium dominated all other considerations. Re-	
actor choices were limited by the need for rapid construction, and designs	
involving technical complexity or innovation were rejected. As a result,	
early production reactors were relatively simple water-cooled or air-cooled	25X1
designs and did not produce electric power.	
	25X
The advent of boosted fission weapons and thermonuclear weapons created	
a priority need for substantial quantities of a new reactor product, tritium.	
In several countries reactors were designed to optimize production of this	
material. As in the case of early plutonium production reactors, design	
choices were limited by the need for rapid construction, and only relatively	
simple designs were seriously considered.	25X1
	0.53.6
	25X1
In more recent years, reactor products requirements have become more	
diverse. There is much less incentive to build a reactor dedicated to, or	
even optimized for, the production of single reactor product. Perhaps	
more important, the long lead times required to develop complex weapons	
systems allow nuclear materials requirements to be identified years in ad-	
vance. This long lead time provides an opportunity to seek out more economical	
means of providing new poduction capacity or replacing aging production reactors.	25X
redecors.	23/
With the exception of the PRC, all thermonuclear powers have reacted to	
this situation by developing complex production reactor designs which can	
produce electric power as well as nuclear materials. In the United Kingdom	
and France, production reactor designs have evolved to the point where there	
is essentially no difference between commercial power reactors and production	
reactors. The USSR was the first country to experiment with dual-purpose	25X1
reactors	
	25X
To Abore as study 1 and 1 days and 1 days are as a second	
In those countries where this development is not politically constrained,	
it is likely that the trend toward the use of commercial power reactors for	
nuclear materials production will continue. Future production reactors may be dual-purpose by design like the French gas-cooled reactors; inherently	
dual-purpose by design like the French gas-cooled reactors; inherently dual-purpose, such as breeder reactors (of almost any type); or totally	
conventional power reactors supplemented by an isotope separation process	
to purify the reactor product to weapons grade.	OEV.
1 Product to weapons grade.	25X
-3-	
	25X ⁻

Sanitized Copy Approved for Release 2010/08/09 : CIA-RDP85T00287R000900590001-0

Sanitized Copy Approved for Release 2010/08/09 : CIA-RDP85T00287R000900590001-0	
darinized dopy Approved for Release 2010/00/03 : OIA-RDF 0310020710000300330001-0	25X1
•	
Distribution:	
Orig - Addressee	
1 - Executive Director	
1 - Executive Registry	
1 - DDI	
1 - DDI/PES	
1 - DDO/SE	25X1
1 - CPAS/Foreign Liaison Staff	

. . \

1 - OSWR/NED/Chrono 1 - OSWR/PG/PS

29 March 1983

1 - P&PD (via CPAS/IMC) 2 - OCR/ISG/OC

OSWR/NED/MTB/

1 - OSWR Chrono 1 - OSWR/ MTB

25X1

25X1